


# MANDRELS HYDRAULIC WEDGE

CE Approved



## FEATURES

- Designed for all diameter sizes and thicker wall pipe
- Reliable and affordable
- All SUPERIOR Bending Machines have 2 extra hydraulic valves that can power any of our hydraulic mandrels

MODEL	PIPE SIZE		DIMENSIONS						WEIGHT	
	Inches	mm	Length		Width		Height		Kg	lb
			mm	Inches	mm	Inches	mm	Inches		
SWH 10	10	254	1850	73	203	8	203	38	170	374
SWH 12-14	12-14	304.8-355.6	2050	81	305	12	305	12	200	440
SWH 16-18	16-18	406.4-457.2	2200	86.5	407	16	407	16	420	924
SWH 20-22	20-22	508-558.8	2430	95.5	508	20	508	20	660	1452
SWH 24-26	24-26	609.6-660.4	2730	107.5	559	22	559	22	800	1760
SWH 28	28	711.2	2730	107.5	610	24	610	24	1320	2904
SWH 30-32	30-32	762-812.8	3140	123.5	711	28	711	28	1725	3795
SWH 34-36	34-36	863.6-914.4	3140	123.5	787	31	787	31	1785	3927
SWH 36-38	36-38	914.4-965.2	2920	115	838	33	838	33	2450	5390
SWH 40-42	40-42	1016-1066.8	2920	115	940	37	940	37	2510	5522
SWH 42-44	42-44	1066.8-1117.6	4013	158	990	39	990	39	3638	8020
SWH 46-48	46-48	1168.4-1219.2	4013	158	1092	43	1092	43	4320	9504
SWH 48-50	48-50	1219.2-1270	4013	158	1143	45	1143	45	5003	11030
SWH 52-54	52-54	1320.8-1371.6	4013	158	1245	49	1245	49	5430	11946
SWH 56-58	56-58	1422.4-1473.2	4013	158	1270	50	1270	50	5960	13112
SWH 60-62	60-62	1524-1574.8	4013	158	1372	54	1372	54	6200	13640
SWH 64-66	64-66	1625.6-1676.4	4013	158	1473	58	1473	58	6740	14828

# MANDRELS PNEUMATIC WEDGE

CE Approved



## FEATURES

- Designed for all diameter sizes and thicker wall pipe
- Reliable and affordable
- To be operated with an air compressor

MODEL	PIPE SIZE		DIMENSIONS						WEIGHT	
	Inches	mm	Length		Width		Height		Kg	lb
			mm	Inches	mm	Inches	mm	Inches		
<b>SWP 10</b>	10	254	1850	73	203	8	203	38	170	374
<b>SWP 12-14</b>	12-14	304.8-355.6	2050	81	305	12	305	12	200	440
<b>SWP 16-18</b>	16-18	406.4-457.2	2200	86.5	407	16	407	16	420	924
<b>SWP 20-22</b>	20-22	508-558.8	2430	95.5	508	20	508	20	660	1452
<b>SWP 24-26</b>	24-26	609.6-660.4	2730	107.5	559	22	559	22	800	1760
<b>SWP 28-30</b>	28-30	711.2-762	3140	123.5	610	24	610	24	1320	2904
<b>SWP 30-32</b>	30-32	762-812.8	3140	123.5	711	28	711	28	1725	3795
<b>SWP 34-36</b>	34-36	863.6-914.4	3140	123.5	787	31	787	31	1785	3927
<b>SWP 36-38</b>	36-38	914.4-965.2	2920	115	838	33	838	33	2450	5390
<b>SWP 40-42</b>	40-42	1016-1066.8	2920	115	940	37	940	37	2510	5522
<b>SWP 42-44</b>	42-44	1066.8-1117.6	4013	158	990	39	990	39	3638	8020
<b>SWP 46-48</b>	46-48	1168.4-1219.2	4013	158	1092	43	1092	43	4320	9504
<b>SWP 48-50</b>	48-50	1219.2-1270	4013	158	1143	45	1143	45	5003	11030
<b>SWP 52-54</b>	52-54	1320.8-1371.6	4013	158	1245	49	1245	49	5430	11946
<b>SWP 56-58</b>	56-58	1422.4-1473.2	4013	158	1270	50	1270	50	5960	13112
<b>SWP 60-62</b>	60-62	1524-1574.8	4013	158	1372	54	1372	54	6200	13640
<b>SWP 64-66</b>	64-66	1625.6-1676.4	4013	158	1473	58	1473	58	6740	14828



## CONTACT INFORMATION

### **Main office – General inquiries SUPERIOR Manufacturing**

16031 East Freeway  
Channelview, TX 77530  
U.S.A.  
Phone 281.457.4400  
Fax 281.452.5455  
U.S. Toll Free 800.383.2666  
Intl. Toll Free 800.9675.3948  
pipeline@wwmach.com  
www.worldwidemachinery.com

### **Italy office SUPERIOR Manufacturing**

Via Roma, 18  
San Pancrazio, Parma  
Italy

**Evan Greenberg**  
Vice-President of Intl. Operations

### **Worldwide offices Europe and Australia**

Juergen Hafemann  
Phone +49.0.231.963.3073 Germany  
Phone +61.0.400.144.432 Australia  
pipelinece@wwmach.com

### **India**

Abhishek Bhotika  
Phone +91.11.414.59230  
pipelineind@wwmach.com

### **Africa**

Evan Greenberg  
Phone +1.281.452.5800  
pipeline@wwmach.com

### **Russia, China and the Middle East**


Sergio Braoude  
Phone +39.349.198.1281 Italy  
Phone +7.495.507.4827 Russia  
fsupipeline@wwmach.com

### **Latin America**

Salvador Villasana  
Phone +52.81.8.394.0160  
pipelinesa@wwmach.com

### **North America**

Rick Layh  
Phone +1.281.457.4400  
pipelinena@wwmach.com



**WORLDWIDE  
MACHINERY  
PIPELINE DIVISION**

 **SUPERIOR  
MANUFACTURING**

# DISCLAIMER

## DISCLAIMER

The information contained in this brochure is intended to be of a general nature only. The SUPERIOR Manufacturing Company may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this brochure. Illustrations do not necessarily show products in standard conditions. The dimensions, weights and capacities shown herein, as well as any conversion data used, are approximate only and are subject to variations within normal manufacturing techniques.